


## SoftCone

We define performance verifiably new. Efficiency x durability x reliability.






R

magnetically fixed.

Functional: organic origin. Constructive: synthetic optimization. Both perfectly combined provide an ideal performance of the two dimensions – simple and reliable operation at highest, technical production requirements. By using specially developed polymer cones (discharging), the new **SoftCone** cushion base is at a maximum degree displacement friendly and three-dimensionally (selective and plane) area steady and self resetting. It eliminates highly effective unwelcome vibrations for all types of printed circuit boards (residue-free) and is by design, ESD compliant and




### **21 mm 33**.32-94



### cone length **body lenght**/height CM.mm

### SoftCone the gentle way to keep exact position.

We prefer to think ahead - more than meditate. That's why we see your future quite right in front of us.



The ability for maximum performance is the legitimation to participate in the production of each "next generation". Therefore we proudly present our multi-talent with added-value guarantee: The SoffCone cushion base is ready for use within seconds through their safe, magnetic positioning. Place one or a group of modules at the pick and place system right into the problem area, ready. The polymer cone matrix is three dimensionally flexible and allows displacement of 8 mm component height. And it is available in all working heights - Base unit + platform made of solid aluminum. And the workmanship, LTC compliant - for eternity.





### SoftCone

Mandatory swabian: rather clever than trendy.

> The rebirth of awareness for sustainability is to be welcomed as such. Although it's an "old hat" for the swabians – what you cannot repair after hard wear, is just not clever. Therefore we offer you spare cone-elements to make your **SofiCone** bases again fit for daily use. Even then, if the new trend is no more. Promised.

Overview product range

R

1011



# NTATION (4)



FON QUE S ТС ≶ as 49(0)7082 ENWE erdie G nstl 1 92590 ω eistu D 7 FAX с С gen ω +49(0)7082. 1 GmbH ENGEL SBRAND Ø 925950 CoKG

